

Part Number	Frequency Range (MHz)	I.L. in BW (dB)(max)	VSWR or R.L.	Attenuation (dB)(min) @ MHz	Dimensions (L x W x H)(mm)	Weight (g)
DHPM382-392-05A1	L :380~385 H :390~395	3.0	15	55 @ 390~395 55 @ 380~385	80.0x22.0x16.3	125
DHPM387-397-05A1	L: 385~390 H: 395~400	3.0	15	55 @ 395~400 55 @ 385~390	80.0x22.0x16.3	125
DHPM387-408-15A1	L: 380~395 H: 406~410	2.5	15	55 @ 406~410 55 @ 380~395	80.0x22.0x16.3	125
DHPM387-408-15B1	L: 380~395 H: 406~410	2.0	15	55 @ 406~410 55 @ 380~395	80.0x22.0x16.3	125
DHPM417-427-05A1	L: 415~420 H: 425~430	3.0	15	55 @ 425~430 55 @ 415~420	80.0x22.0x16.3	125
DHPM725-780-45A1	L:703~748 H:758~803	3.0	15	50 @ 758~803 50 @ 703~748	79.5x22.0x16.0	120
DHTX747-874-100A1	L:697~797 H:824~924	1.0	14	32 @ 824~924 32 @ 697~797	158.0x12.7x20.3	150
DHPM763-793-05A1	L:760.5~765.5 H:790.5~795.5	1.0	15	65 @ 790.5~795.5 65 @ 760.5~765.5	84.0x16.0x18.0	69
DHPM763-793-10A1	L:758~768 H:788~798	1.5	15	65 @ 788~798 65 @ 758~768	83.0x15.0x17.7	69
DHPM806-847-30A1	L : 791~821 H : 832~862	2.5	15	35 @ 832~862 35 @ 791~821	79.5x22.0x16.0	67
DHPM836-881-25A1	L: 824~849 H: 869~894	2.0	15	55 @869~894 55 @ 824~849	79.5x22.0x16.0	64
DHPM897-942-35A1	L: 880~915 H:925~960	2.5	15	58 @925~960 58 @ 880~915	79.5X22.0X16.0	62
DHPM897-942-35B1	L: 880~915 H:925~960	2.5	15	58 @925~960 58 @ 880~915	79.5X22.0X16.0	61
DHPM897-942-35B2	L: 880~915 H:925~960	2.5	15	58 @925~960 58 @ 880~915	79.5X22.0X16.0	61
DHPM897-942-35B3	L: 880~915 H:925~960	2.5	15	58 @925~960 58 @ 880~915	79.5X22.0X16.0	61
DHPM897-942-35C1	L: 880~915 H:925~960	3.3	15	55 @925~960 55 @ 880~915	80.0X22.0X16.5	60
DHNM1539-1650-42A1	L: 1518~1560 H:1626~1675	1.1 1.3	14	60@1626~1675 60@1518~1560	40.5x8.5x8.0	15
DHNM1539-1650-42B1	L: 1518~1560 H:1626~1675	1.4 1.6	14	62@1626~1675 62@1518~1560	40.5x8.7x8.0	15
DHNM1539-1650-42B2	L: 1518~1560 H:1626~1675	1.4 1.6	14	62@1626~1675 62@1518~1560	40.5x10.9x8.0	15
DHNM1539-1650-42C1	L: 1518~1560 H:1626~1675	1.3 1.5	14	60@1626~1675 60@1518~1560	42.5x8.5x8.0	15
DHNM1539-1650-42D1	L: 1518~1560 H:1626~1675	1.2	14	65@1626~1675 65@1518~1560	61.85x13.8x8.0	30
DHNM1542-1635-34A1	L: 1525~1559 H:1610~1660.5	1.0 1.2	15	65 @1610~1660.5 66 @ 1525~1559	55.4x10.6x9.3	28
DHNM1542-1635-34B1	L: 1525~1559 H:1610~1660.5	1.0 1.2	14	65 @1610~1660.5 65 @ 1525~1559	55.4x12.5x12.8	28
DHNM1542-1635-34C1	L: 1525~1559 H:1610~1660.5	1.1 1.2	14	63 @1610~1660.5 63 @ 1525~1559	55.4x10.6x13.8	28

Part Number	Frequency Range (MHz)	I.L. in BW (dB)(max)	VSWR or R.L.	Attenuation (dB)(min) @ MHz	Dimensions (L x W x H)(mm)	Weight (g)
DHNM1542-1635-34C2	L: 1525~1559 H:1610~1660.5	1.1 1.2	14	63 @1610~1660.5 63 @ 1525~1559	55.4x10.6x13.8	28
DHNM1542-1643-34A1	L: 1525~1559 H:1626.5~1660.5	1.2	14	65 @1626.5~1660.5 65@ 1525~1559	61.85x13.8x8.0	30
DHNM1542-1643-34B1	L: 1525~1559 H:1626.5~1660.5	1.0	15	65 @1626.5~1660.5 65@ 1525~1559	55.4x10.6x9.3	28
DHNM1542-1643-34C1	L: 1525~1559 H:1626.5~1660.5	0.8 1.0	14	65 @1626.5~1660.5 65@ 1525~1559	61.85x13.8x8.0	30
DHNM1546-1650-57A1	L:1518~1575.5 H:1626~1675	1.4 1.6	14	62 @ 1626~1675 62 @ 1518~1575	40.5x10.9x8.0	15
DHPM1575-1621-11A1	L:1570~1581 H:1616~1626	1.5 1.8	15	50 @ 1616~1626 50 @ 1570~1581	83.0x15.0x17.0	45
DHPM1732-2132-45A1	L: 1710~1755 H: 2110~2155	1.5	14	55 @ 2110~2155 55 @ 1710~1755	83.0x15.0x17.0	45
DHPM1732-2132-45B1	L: 1710~1755 H: 2110~2155	1.5	15	60 @ 2110~2155 60 @ 1710~1755	65.0x20.0x11.2	34
DHTX1732-2132-45A1	L: 1710~1755 H: 2110~2155	1.0	18	50 @ 2110~2155 50 @ 1710~1755	72.9x21.3x12.7	40
DHNM1735-1830-50A1	L: 1710~1760 H: 1805~1855	2.0 3.0	18	50@1805~1855, 30@960~1500 65@1710~1765, 40@960~1710	58.5x9.5x9.3	20
DHNM1737-1830-55A1	L: 1710~1765 H: 1805~1855	2.0 3.0	18	50@1805~1855, 30@960~1500 65@1710~1760, 40@960~1710	58.5x9.5x9.3	20
DHPM1747-1842-75A1	L: 1710~1785 H: 1805~1880	2.0	15	55 @1805~1880 55 @ 1710~1785	82.0 x15.0x17.0	33
DHPM1747-1842-75B1	L: 1710~1785 H: 1805~1880	3.0	15	55 @1805~1880 55 @ 1710~1785	82.0 x15.0x17.0	33
DHNM1760-1855-50A1	L: 1735~1785 H: 1830~1880	2.0 3.0	18	50@1830~1880, 30@960~1500 65@1735~1785, 40@960~1735	58.5x9.5x9.3	16
DHPM1880-1960-60A1	L: 1850~1910 H: 1930~1990	3.2	15	50@1930~1990, 20@DC~1700 50 @ 1850~1910, 25@DC~1700	42.0x17.0x8.8	38
DHPM1882-1962-65A1	L: 1850~1915 H: 1930~1995	3.0	14	55 @ 1930~1995 55 @ 1850~1915	79.5x22.0x16.0	39
DHPM1882-1962-65A2	L: 1850~1915 H: 1930~1995	3.0	14	55 @ 1930~1995 55 @ 1850~1915	83.0x15.0x17.0	30
DHPM1882-1962-65B1	L: 1850~1915 H: 1930~1995	3.5	15	50 @ 1930~1995 50 @ 1850~1915	65.0x20.0x11.2	25
DHCM1940-2130-10A1	L:1935~1945 H:2125~2135	1.5	15	80 @ 2125~2135 80 @ 1935~1945	81.78x42.3x21.5	115
DHCM1950-2140-60A1	L:1920~1980 H:2110~2170	1.5	15	80 @ DC~1880 75 @ 2110~2170 40 @ 2350~2550 75 @ 1920~1980	107.5x63.6x20.0	162
DHNM1950-2140-60A1	L:1920~1980 H:2110~2170	1.5	15	50 @ 2110~2170 50 @ 1920~1980 5 @ 1840~2250	40.5x7.5x8.0	10

Part Number	Frequency Range (MHz)	I.L. in BW (dB)(max)	VSWR or R.L.	Attenuation (dB)(min) @ MHz	Dimensions (L x W x H)(mm)	Weight (g)
DHPM1950-2140-60A1	L:1920~1980 H:2110~2170	1.5	15	55 @ 2110~2170 55 @ 1920~1980	82.0x25.0x16.3	26
DHPM1950-2140-60B1	L: 1920~1980 H: 2110~2170	1.0	15	60 @ 2110~2170 60 @1920~1980	84.0x16.0x18.0	26
DHPM1962-2132-65A1	L: 1930~1995 H: 2110~2155	4.2	15	65 @DC~1850, 30@ 2035~2050 22@2180, 60 @2400~2480	-	
DHPM2132-1732-45A1	L: 1710~1755 H: 2110~2155	1.5	14	55 @ 2110~2155 55 @ 1710~1755	83.0x15.0x17.0	25
DHTX2132-1732-45A1	L: 1710~1755 H: 2110~2155	1.0	18	50 @ 2110~2155 50 @ 1710~1755	72.9x12.7 x18.3	23
DHPM2535-2655-70A1	L : 2500~2570 H: 2620~2690	2.0	15	55 @ 2620~2690 55 @ 2500~2570	83.0x15.0x17.0	22
DHPM2535-2655-70B1	L : 2500~2570 H: 2620~2690	2.5	15	60 @ 2620~2690 60 @ 2500~2570	66.0x16.0x11.5	17
DHCM3475-3575-50A1	L:3450~3500 H:3550~3600	1.5	18	50 @ 3550~3600 50 @ 3450~3500	79.5x31.0x19.5	110
DHCM5350-5670-80A1	L:5310~5390 H:5630~5710	2.5	12	60 @ 5630~5710 60 @ 5310~5390	104.2x18.7x10.0	160